

Library South
Library North



Humboldt FacilitiesLink
<https://humboldt.metabim.com/>

PUBLISHED BY:
Administration
10/12/2017

CAMPUS: 30
CODE:
ASSET: 041

NOT TO SCALE
DIGITAL PLOT

Library
FIRST FLOOR

A1

Library North

19' Wide

10' Tall

29" wide at both sidelights

7' tall

Two operable sliding panels and two break away fixed panels

GET READY!
 Sign up for **HSU ALERT** and get emergency notifications sent right to your mobile phone.
 Learn more at HUMBOLDT.EDU/HSUALERT
 HUMBOLDT STATE UNIVERSITY

ROOMS 1-99 ARE LOCATED ON BASEMENT LEVEL




Library South Door



Same dimensions and operation as North Door


	DURA-GLIDE 3000 SERIES	BI-PARTING WITH TRANSOM & ACCESS CONTROL, RECESSED	
	PROJECT INFORMATION		
	PROJECT NAME: Humboldt State University Door Replacment		
	LOCATION: Arcata, CA		
	DOOR NUMBER(S): Library North & South		
DATE: 3/17/21		SHEET: 1 OF 1	




① VERTICAL SECTION

NOTES


1. ELECTRICAL REQUIREMENTS: BY ELECTRICAL CONTRACTOR
120 VAC, 5 AMP MIN TO POWER OPERATOR
CONTROL CIRCUIT FROM SECURE ACTIVATION TO OPERATOR
2. ROUGH OPENING SHALL PROVIDE 1/4" [6] SHIM SPACE ON SIDES AND TOP OF PACKAGE.
3. LIMITS OF ACTIVATION AND SAFETY ZONES ARE FOR REFERENCE ONLY; SEE ANSI/BHMA A156.10 FOR DETAILED REQUIREMENTS.
4. SEE SPECIFICATIONS FOR ADDITIONAL INFORMATION.



ELEVATION



PLAN



② HORIZONTAL SECTION

TYPICAL PACKAGE DIMENSIONS (NARROW STILE)			
PACKAGE WIDTH	NOMINAL CLEAR DOOR OPENING	DOOR PANEL NOMINAL WIDTH	EMERGENCY BREAKOUT NOM. WIDTH
120"	48.3"	30.3"	105.5"
144"	60.3"	36.3"	129.5"
168"	72.3"	42.3"	153.5"